Un page 13 of the specification, substitute the number 7 entry below for the number 7 entry on original lines 22 through 23

entry on original lines 22 through 23.				
<u> </u>	L-carnitinemg 500			
Mar.	Garcinia cambogia extract mg 500			
on page 14 of the specification, substitute the numbers 8, 9, 10, 11 and 12 entries below				
for the numbers 8, 9, 10, 11 and 12 entries on original lines 2 through 15.				
8) Acetyl L-carnitinemg 500				
	Garcinia cambogia extract mg 500			
\mathcal{O}	(30% hydroxycitric acid)			
9) P	ropionyl L-carnitinemg 500			
	Garcinia cambogia extract mg 500			
`-{ 1	30% hydroxycitric acid)			
10)	Isovaleryl L-carnitinemg 500			
2: 	Garcinia cambogia extract mg 500			
	(30% hydroxycitric acid)			
11)	Valeryl L-carnitinemg 500			
	Garcinia cambogia extract mg 500			
	(30% hydroxycitric acid)			

Replace all the text (paragraphs) on pages 16-20, with the text (paragraphs) on substitute pages 16-20 attached below:

mg 500--.

12) Butyryl L-carnitinemg 500

Garcinia cambogia extract

TABLE I

MEAN DAILY FOOD CONSUMPTION (g) PER ANIMAL

	Before treatment	After 15 days
Calcium hydroxycitrate (g 1/100 g diet)	19.2 ± 0.65	17.1 ± 0.3 \$
Calcium hydroxycitrate (g 2/100 g diet)	18.8 ± 0.44	15.1 ± 0.46
L-carnitine (g 2/100 g diet)	17.3 ± 0.35	18.1 ± 0.50
L-carnitine (g 4/100 g diet)	18.4 ± 0.61	17.8 ± 0.41
Acetyl L-carnitine (g 2/100 g diet)	18.6 ± 0.39	18.4 ± 0.44
Acetyl L-carnitine (g 4/100 g diet)	18.2 ± 0.41	18.8 ± 0.57
Propionyl L-carnitine (g 2/100 g diet)	17.7 ± 0.56	17.1 ± 0.38
Propionyl L-carnitine (g 4/100 g diet)	18.2 ± 0.44	18.5 ± 0.48
Garcinia cambogia (g 4/100 g diet)	17.9 ± 0.34	16.8 ± 0.44
Calcium hydroxycitrate (g 1/100 g diet) + L-carnitine (g 2/100 g diet)	18.9 ± 0.61	14.4 ± 0.50
Calcium hydroxycitrate (g 1/100 g diet) + Acetyl L-carnitine (g 2/100 g diet)	19.1 ± 0.58	14.8 ± 0.64
Calcium hydroxycitrate (g 1/100 g diet) + Propionyl L-carnitine (g 2/100 g diet)	18.4 ± 0.49	13.2 ± 0.53
L-carnitine (g 2/100 g diet) + Garcinia cambogia (g 4/100 g diet)	18.1 ± 4.7	15.9 ± 4.1
Acetyl L-carnitine (g 2/100 g diet) + Garcinia cambogia (g 4/100 g diet)	18.8 ± 3.9	16.2 ± 4.9
Propionyl L-carnitine (g 2/100 g diet) + Garcinia cambogia (g 4/100 g diet)	18.1 ± 4.8	14.4 ± 4.7



TABLE 2 **BODY WEIGHT INCREASE AFTER 15 DAY-TREATMENT**

	Final body weight increase (g)
Controls	62.8 ± 3.5
Calcium hydroxycitrate (g 1/100 g diet)	46.6 ± 4.1
Calcium hydroxycitrate (g 2/100 g diet)	38.9 ± 3.8
L-carnitine (g 2/100 g diet)	66.2 ± 4.9
L-carnitine (g 4/100 g diet)	64.5 ± 5.1
Acetyl L-carnitine (g 2/100 g diet)	60.4 ± 7.1
Acetyl L-carnitine (g 4/100 g diet)	60.1 ± 6.1
Propionyl L-carnitine (g 2/100 g diet)	62.4 ± 3.9
Propionyl L-carnitine (g 4/100 g diet)	58.7 ± 3.7
Garcinia cambogia (g 4/100 g diet)	51.4 ± 3.3
Calcium hydroxycitrate (g 1/100 g diet) + L-carnitine (g 2/100 g diet)	28.7 ± 4.4
Calcium hydroxycitrate (g 1/100 g diet) + Acetyl L-carnitine (g 2/100 g diet)	31.6 ± 3.9
Calcium hydroxycitrate (g 1/100 g diet) + Propionyl L-carnitine (g 2/100 g diet)	24.4 ± 2.8
L-carnitine (g 2/100 g diet) + Garcinia cambogia (g 4/100 g diet)	38.6 ± 3.1
Acetyl L-carnitine (g 2/100 g diet) + Garcinia cambogia (g 4/100 g diet)	36.8 ± 4.4
Propionyl L-carnitine (g 2/100 g diet) + Garcinia cambogia (g 4/100 g diet)	34.8 ± 6.5



TABLE 3
SERUM TRIGLYCERIDES AND EPIDIDIMAL FAT AFTER 15 DAY-TREATMENT






TABLE 4 TEST ON EXPERIMENTALLY-INDUCED HYPERTRIGYCERIDAEMIA (mg/100 ml)

G 1	
Controls	195.8 ± 9.8
Calcium hydroxycitrate (g 0.5/Kg)	170.6 ± 8.5
Calcium hydroxycitrate (g 1/Kg)	145.5 ± 8.5
L-carnitine (g 0.5/Kg)	190.4 ± 9.6
L-carnitine (g 1/Kg)	190.8 ± 8.6
Acetyl L-carnitine (g 0.5/Kg)	191.2 ± 9.1
Acetyl L-carnitine (g 1/Kg)	188.4 ± 5.5
Propionyl L-carnitine (g 0.5/Kg)	184.2 ± 6.8
Propionyl L-carnitine (g 1/Kg)	180.4 ± 7.9
Garcinia cambogia (g 0.5/Kg)	170.6 ± 5.4
Calcium hydroxycitrate (g 0.5/Kg) + L-carnitine (g 0.5/Kg)	125.8 ± 9.1
Calcium hydroxycitrate (g 0.5/Kg) + Acetyl L-carnitine (g 0.5/Kg)	120.4 ± 8.8
Calcium hydroxycitrate (g 0.5/Kg) + Propionyl L-carnitine (g 0.5/Kg)	108 ± 9.4
L-carnitine (g 0.5/Kg) + Garcinia cambogia (g 0.5/Kg)	145.4 ± 8.6
Acetyl L-carnitine (g 0.5/Kg) + Garcinia cambogia (g 0.5/Kg)	140.4 ± 7.4
Propionyl L-carnitine (g 0.5/Kg) + Garcinia cambogia (g 0.5/Kg)	125 ± 8.5



TABLE 5

TESTS ON EXPERIMENTALLY-INDUCED HYPERCHOLESTEROLEMIA
(TOTAL CHOLESTEROL mg/dl)

Controls	92.5 ± 4.4
Hypercholesterolemic controls	
Calcium hydroxycitrate (g 1/100 g diet)	270.5 ± 10.4 196.6 ± 9.6
Calcium hydroxycitrate (g 2/100 g diet)	180.5 ± 8.1
L-carnitine (g 2/100 g diet)	270.4 ± 5.1
L-carnitine (g 4/100 g diet)	260.6 ± 4.4
Acetyl L-carnitine (g 2/100 g diet)	266.7 ± 7.7
Acetyl L-carnitine (g 4/100 g diet)	255.4 ± 9.4
Propionyl L-carnitine (g 2/100 g diet)	250.6 ± 10.1
Propionyl L-carnitine (g 4/100 g diet)	235.3 ± 9.6
Garcinia cambogia (g 4/100 g diet)	250.7 ± 4.7
Calcium hydroxycitrate (g 1/100 g diet) + L-carnitine (g 2/100 g diet)	155.8 ± 8.8
Calcium hydroxycitrate (g 1/100 g diet) + Acetyl L-carnitine (g 2/100 g diet)	150.5 ± 7.1
Calcium hydroxycitrate (g 1/100 g diet) + Propionyl L-carnitine (g 2/100 g diet)	110.6 ± 6.6
L-carnitine (g 2/100 g diet) + Garcinia cambogia (g 4/100 g diet)	179.6 ± 9.6
Acetyl L-carnitine (g 2/100 g diet) + Garcinia cambogia (g 4/100 g diet)	165.9 ± 8.9
Propionyl L-carnitine (g 2/100 g diet) + Garcinia cambogia (g 4/100 g diet)	155.5 ± 6.8

